1/6




FIG. 1




FIG. 2

Tissues	VEGF-B 167	VEGF-B 186	VEGF-B186 / VEGF-B167 ( % )				
heart	27	7.3	27				
skeletal muscle	27	3.2	12				
diaphragm	16	3	19				
colon	7	1.7	24				
cerebellum	6	-	-				
eye	6	-					
kidney	4	1	25				
brain	4	0.6	15				
adrenal	4	-	15				
lung	3	0.45					
cerebrum	3	-	-				
liver	1	-	-				
testis	0.5	-	-				
small intestine	0.5	-	-				
spleen	0.5	-					
thymus	0.5	-	-				
peripheral blood cells	0.2	-	-				
T241	12	7.4	62				
B16	9	-4.5	50				
BT4C	8	6.3	79				
LLC	6	3.2	53				

FIG. 3




FIG. 4




FIG. 5




FIG. 6

WEGE BARDH		GK.P	•																						
	PPH	<u> 2</u>	<u>  3</u>	4	5	6	7	8	9	10	111	12	13	14	15	16	17	18	19	20	21	22	1		
					-			*								***								EGF-B APDH	
																								EGF-B EGF 169	
																		335					. <b>V</b> ]		ner isoform
VEGF-B	1	2	2.5	1	1	2.5	1.5	1.5	3	2.5	2	1.5	. 769		2	1806	101	1.5	• 5	**			Average		
VEGF-A	1.5	<del>  -</del> -	2.5	<del> </del> -	19	7	9	2.5	Ļ.	3	13	2	4.5	5	5	11	7.5	4	3	10	3.5	8	6.1		
VEGFB (186/167)%	70	35	75	85	45	20	55	40	65	15	20	25	20	50	60	20	30	80	25	25	45	20	42		

FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11